

Spring Multi Disc Harrow

Пружинная многорычажная Дисковая борона



Technical Features / Технические Характеристики

| Model | No. of disc (pcs) | Weight (kg) | Working width (mm) | Power (Hp) | Working depth (mm) |
|--------------------|-------------------|-------------|--------------------|------------|--------------------|
| MDH16 | 16 | 930 | 2000 | 55-65 | 250 |
| MDH18 | 18 | 1030 | 2250 | 65-75 | 250 |
| MDH20 | 20 | 1120 | 2500 | 75-85 | 250 |
| MDH22 | 22 | 1270 | 2750 | 85-95 | 250 |
| MDH24 | 24 | 1360 | 3000 | 95-110 | 250 |
| MDH26 | 26 | 1460 | 3250 | 110-120 | 250 |
| MDH28 | 28 | 1550 | 3500 | 120-130 | 250 |
| MDH30 | 30 | 1640 | 3750 | 130-140 | 250 |
| MDH32 | 32 | 1730 | 4000 | 140-150 | 250 |
| MDH34 | 34 | 1870 | 4250 | 150-170 | 250 |
| WITH ROLLER | | | | | |
| MDH16-R | 16 | 1200 | 2000 | 55-65 | 250 |
| MDH18-R | 18 | 1320 | 2250 | 65-75 | 250 |
| MDH20-R | 20 | 1410 | 2500 | 75-85 | 250 |
| MDH22-R | 22 | 1600 | 2750 | 85-95 | 250 |
| MDH24-R | 24 | 1710 | 3000 | 95-110 | 250 |
| MDH26-R | 26 | 1805 | 3250 | 110-120 | 250 |
| MDH28-R | 28 | 1920 | 3500 | 120-130 | 250 |
| MDH30-R | 30 | 2025 | 3750 | 130-140 | 250 |
| MDH32-R | 32 | 2120 | 4000 | 140-150 | 250 |
| MDH34-R | 34 | 2235 | 4250 | 150-170 | 250 |

General Features / Общие Характеристики

It has a large usage alternatives on soil processing especially for seed bed preparation and stubble processing. It decreased the product costs by its combined design. The high working capacity brings low costs and low fuel. Notched discs had been tied to frame with rubber roll springs. Adding the soil and the plant parts to the soil by crumbling can be done in a high performance by this structure. It is an ideal machine for minimum soil processing that becomes important in the last years. It is possible with this machine to mix by crumbling plant parts in the best way and to become useful faster for the plant, consequently to bring in biological balance of the soil again.